



*Transparent Testing &
Simplified Measurement*

Circuit Breaker Timer Kit SBCBT-P





SPECIAL FEATURES

- User selectable 3/4 pole measurement.
- Compact and light weight instrument.
- 0 to 9999.9 mSec.
- Small Portable, light weight constructed in suitcase for field use.
- Resolution : 0.1 mS
- Built in Thermal Printer to PRINT test results.
- Data download Windows based software.

APPLICATION FIELD

- Suitable for Indoor / Outdoor / LV / HV Breaker of Various types and Coil Voltage 24 V to 220 V AC/DC.
- Utility Substation.
- Railway Substation.
- Indore Breakers of Private Companies and Metro Substation.
- Suitable up to 220 KV Substation on Circuit Breaker Time testing.






STANDARD ACCESSORIES

- Color Coded test probe set
- R, Y, B, COM : 8 meters each.
- Control Cable for "+ve", Trip and Close : 5 meters each
- Calibration certificate.
- Mains Cord.
- User Manual.
- Leads set.

Technical Specification :

DISPLAY	4 Line backlight LCD Display.
POLES	Three / Four user selectable.
RANGES	Up-to 9999.9 m-Sec
RESOLUTION	0.1 m-Sec
ACCURACY	0.05 % +/- 1 Digit
MODES	Close, Open, C-O with Bounce Time
POWER	230 V, AC , 50 Hz, 1-Phase.

OUR PRODUCT IS SERVING THROUGHOUT THE GLOBE



CONNECT WITH US :



*Transparent Testing &
Simplified Measurement*

S.B.ELECTROTECH

124, SIKDAR PARA, RAJPUR, KOLKATA,
ZIP CODE : 700 149, WEST BENGAL, INDIA

Ph. : +91-7278354202 , +91-9477423085

Website : www.sbelectrotech.org

Email Id : info@sbelectrotech.org || sales@sbelectrotech.org

