



*Transparent Testing &  
Simplified Measurement*

# PHANTOM LOAD TEST KIT SBE - PLT 300 SBE - PLT 300





®

## FEATURES

- Capable to test Energy Meters.
- Available in Manual Mode.
- 3½ Digit Digital Display.
- Coarse Current Control.
- Phase Shifting Facility.
- Over Current Protection.
- Relay Protection.
- HRCB Fuse Protection.
- Short Circuit Protection.

## STANDARD ACCESSORIES


- Mains Power Cord.
- Spare Fuse.
- Operating Manual.
- Works Test Report.
- Warranty Certificate.

## TECHNICAL SPECIFICATION



SBE - PLT 300	
Number of Meter Positions :	1
Accuracy :	2 %
Standard Meter (Optional) :	TPRS SERIES
VOLTAGE	
Test Voltage Output ( Phase - Neutral) :	0 - 300 Volt Variable from Individual Source.
Power of the Voltage Output :	Max 3 X 480 VA
Resolution :	1 Volt
Load Regulation from 0 - Max Load:	95 %
CURRENT	
Test Current Output :	3 X 300 Amp.
Range Selection :	5 A, 20 A, 50 A, 100 A, 200 A, 300 A
Regulation Control :	0 - 125 %
Power of the Current Output :	Max 3X 450 VA
Resolution :	0.1 Amp.
Load Regulation from 0 - Max Load:	95 %
PHASE ANGLE	
Range :	0 - 360 °
Resolution :	1 °
OTHERS	
Voltage Supply :	440 V, ± 10%, 3 Phase, 4 Wire, 50 Hz, AC.
Ambient Temperature :	0 ° to 50 ° C
Relative Humidity :	35 % to 95 %

OUR PRODUCT IS SERVING THROUGHOUT THE GLOBE



CONNECT WITH US :



SBE FACEBOOK



SBE YOUTUBE



SBE LINKEDIN



*Transparent Testing &  
Simplified Measurement*

**S.B.ELECTROTECH**

124, SIKDAR PARA, RAJPUR, KOLKATA,  
ZIP CODE : 700 149, WEST BENGAL, INDIA

Ph. : +91-7278354202 , +91-9477423085

Website : [www.sbelectrotech.org](http://www.sbelectrotech.org)

Email Id : [info@sbelectrotech.org](mailto:info@sbelectrotech.org) || [sales@sbelectrotech.org](mailto:sales@sbelectrotech.org)

